

Knowledge Representation and Semantic Technologies – 13/6/2018

LAST NAME:

FIRST NAME:

ID (MATRICOLA):

Autorizzo la pubblicazione del mio voto di questo esame sul sito web <http://www.dis.uniroma1.it/~rosati/gd>, secondo quanto prevede il decreto legislativo 196/2003 (codice in materia di protezione dei dati personali) che dichiaro di conoscere. In fede,

.....

Exercise 1 Given the following \mathcal{ALC} TBox:

- $A \sqsubseteq \neg F$
- $B \sqsubseteq \neg F$
- $B \sqsubseteq C$
- $B \sqsubseteq \forall R.F$
- $C \sqsubseteq E$
- $D \sqsubseteq A \sqcup B$
- $D \sqsubseteq \exists R.A$
- $E \sqsubseteq \exists R.B$

- (a) tell whether the TBox \mathcal{T} is satisfiable, and if so, show a model for \mathcal{T} ;
- (b) tell whether the concept B is satisfiable with respect to \mathcal{T} , and if so, show a model for \mathcal{T} where B is satisfiable;
- (c) given the ABox $\mathcal{A}' = \{D \sqcap F(a)\}$, tell whether the knowledge base $\langle \mathcal{T}, \mathcal{A}' \rangle$ is satisfiable (consistent), and if so, show a model for $\langle \mathcal{T}, \mathcal{A}' \rangle$;
- (d) given the ABox $\mathcal{A}'' = \{D(a)\}$, tell whether the knowledge base $\langle \mathcal{T}, \mathcal{A}'' \rangle$ entails the assertion $A(a)$, explaining your answer.

Exercise 2 Given the following ASP program P:

```
r(x,y) :- p(x,y).
r(x,y) :- p(x,z), r(z,y).
s(x,y) :- r(x,y), not p(y,x).
t(x,y) :- r(x,y), not s(x,y).
v(x,y) :- s(x,y).
v(x,y) :- s(x,z), v(z,y).
w(x,y) :- v(x,y), not t(x,y).
p(a,b). p(b,c). p(c,d). p(c,e).
```

- (a) tell whether P is stratified;
- (b) compute the answer sets of P.

Exercise 3

We want to formalize knowledge about the domain of students and professors. In particular, we want to formalize the following statements:

1. every student is a person;
 2. every professor is a person;
 3. male and female are subclasses of person;
 4. student and professor are disjoint classes;
 5. the property “is friend of” has domain person and range person;
 6. the property “studies with” has domain student and range student;
 7. the property “studies with” is a subproperty of the property “is friend of”;
 8. every professor that is the supervisor of at least one student is an active professor;
 9. every professor that is the supervisor of a male student and a female student is a very active professor;
 10. every professor that is also a student is a special professor;
 11. every professor is friend of at least one professor and is friend of at least one student.
- (a) Choose the most appropriate knowledge representation language for expressing the above knowledge among the following: \mathcal{ALC} , Datalog with constraints, ASP, OWL, $DL-Lite_R$, \mathcal{EL} , RL , RDFS, motivating your choice;
 - (b) express the above knowledge in the formalism chosen at the previous point.

Exercise 4

- (a) Write an RDF/RDFS model representing the following statements about URIs `Person`, `Director`, `Actor`, `Writer`, `Movie`, `Country`, `Continent`, `Comedy`, `Drama`, `Man`, `Woman`, `filmedInYear`, `filmedInCountry`, `hasBoxOfficeGross`, `isDirectorOf`, `isWriterOf`, `actsIn`, `bornIn`, `Joe`, `Mary`, `Ann`, `Paul`, `Italy`, `France`, `Europe`, `ABC`, `XYZ`.

1. `Person`, `Director`, `Writer`, `Actor`, `Country`, `Continent`, `Movie`, `Comedy`, `Drama`, `Man`, and `Woman` are classes;
2. `Man` and `Woman` are subclasses of `Person`;
3. `Comedy` and `Drama` are subclasses of `Movie`;
4. `actsIn`, `bornIn`, `filmedInCountry`, `isDirectorOf` and `isWriterOf` are properties;
5. `isDirectorOf` has domain `Director` and range `Movie`;
6. `filmedInYear` has domain `Movie` and range `xsd:integer`;
7. `filmedInCountry` has domain `Movie` and range `Country`;
8. `bornIn` has domain `Person` and range `Country`;
9. `actsIn` has domain `Actor` and range `Movie`;
10. `isInContinent` has domain `Country` and range `Continent`;
11. `hasBoxOfficeGross` has domain `Movie` and range `xsd:integer`;
12. Ann is the director and the writer of movie XYZ;
13. Joe and Paul act in movie ABC;
14. ABC was filmed in France in 2015;
15. Ann is a woman;
16. Italy and France are in Europe.

- (b) Write SPARQL queries corresponding to the following requests: (b1) “return every director who directed at least one movie whose box office gross is above \$10,000,000”. (b2) return the directors of the movies filmed in Italy and played by at least an Italian actor, and, optionally, the box office gross of the movie and the writer of the movie.

Exercise 5

- (a) Write an OWL ontology that formalizes the domain described at point (a) of Exercise 4.
- (b) Add to the above ontology the axioms formalizing the following statements:
1. add a new property `isWrittenBy` and state that it is the inverse of `isWriterOf`;
 2. add a new class `WrittenByManyAuthors` and state that it corresponds to the class of movies written by at least three writers;
 3. add the new class `allFemaleCast` and state that such a class corresponds to the class consisting of every movie whose writers, directors and actors are all women;
 4. add a new class `LowBudgetMovie` and state that it corresponds to the class of movies played by at most 5 actors;
 5. add the new class `ItalianMovie` and state that such a class corresponds to the class consisting of every movie that was filmed in Italy.
 6. add the new class `Blockbuster` and state that such a class corresponds to the class consisting of every movie whose box office gross is \$100,000,000.

Then, tell whether the resulting OWL ontology is redundant, i.e.: can some of the axioms constituting the ontology be deleted without changing the meaning (that is, the models) of the ontology? if so, identify and list such axioms.

Exercise 6

Axiomatize the following scenario, appropriately with action precondition and effect axioms, and obtain successor state axioms.

Fluents:

- `doorOpen(s)` - The door is open in situation `s`.
- `windowOpen(s)` - The window is open in situation `s`.
- `robotCloseToDoor(s)` - The robot is close to the door in situation `s`.
- `robotCloseToWindow(s)` - The robot is close to the window in situation `s`.

Actions:

- `openDoor` - The robot opens the door. This can be done if the robot is close to the door, and has the effect that the door will be open.
- `closeDoor` - The robot closes the door. This can be done if the robot is close to the door, and has the effect that the door will be closed.
- `openWindow` - The robot opens the window. This can be done if the robot is close to the window, and has the effect that the window will be open.
- `closeWindow` - The robot closes the window. This can be done if the robot is close to the window, and has the effect that the window will be closed.
- `moveCloseToDoor` - The robot moves close to the door. This can always be done, and has the effect that the robot will be close to the door.
- `moveCloseToWindow` - The robot moves close to the window. This can always be done, and has the effect that the robot will be close to the window.

Initial situation description: Initially the robot is not close to the door and not close to the window, the door is closed, and the window is closed.